Tilt and turn gearing

Dit artikel: extra schaar



Description (TILT / TURN / CLOSE)	Codes R	Codes L	Pcs.	Leaf dimensions H mm	700 1400	1401 2700	700 1400	1401 2700	700 1400	1401 2700	700 1400	1401 2700	700 1400	1401 2700
				L mm	360 509		510 794		795 1200		1201 1400		1401 1700	
Basic kit with vertical fulcrum (with pin and support)	3200.R	3200.L	5											
Basic kit with vertical fulcrum (without pin and support)	3200.20R	3200.20L	20											
Basic kit with vertical fulcrum (without pin and support)	3200.5R	3200.5L	5											
Basic kit with vertical fulcrum (without pin and support) to use with bolts art. 3200.859	3200.7R	3200.7L	5											
Basic kit with vertical fulcrum and adjustable night ventilation	3202.R	3202.L						1						
Basic kit with horizontal fulcrum (with pin and support)	3200.2R	3200.2L	5											
Basic kit with horizontal fulcrum (without pin and support)	3200.22R	3200.22L	20											
Basic kit with horizontal fulcrum and height handle fixed to 300 mm (with pin and support)	3200.3R	3200.3L	5											1
Basic kit with horizontal fulcrum (without telescopic element)	3200.4R	3200.4L	5											
Basic kit with horizontal fulcrum (without pin and support)	3200.6R	3200.6L	5											
Basic kit with horizontal fulcrum and adjustable night ventilation	3202.2R	3202.2L												
Short arm	3200.750R	3200.750L	5		1									
	3200.770R	3200.770L	20											
Standard arm	3200.751R	3200.751L	5				1							
	3200.771R	3200.771L	20											
Long arm	3200.752R	3200.752L	5						1					
	3200.772R	3200.772L	20											
Supplementary arm	3200.800R	3200.800L	5								1			
Non-handed hinge kit (weight capacity 110 Kg)	3200.709		5						1					
	3200.729		20											
Lower support for art. 3200.5/.6/.7/.20/.22 (weight capacity 110-140 Kg)	3200.710R	3200.710L	5						1					
	3200.730R	3200.730L	20											
Reinforcement kit for hinge 3000.709 (upper part), weight capacity 140 Kg	3200.708R	3200.708L	5						1					
Non-handed hinge kit (weight capacity 170 Kg)	3200.701		5						1					
	3200.721		20											
Hinge lower support (weight capacity 170 Kg)	3200.700R	3200.700L	5						1					
	3200.720R	3200.720L	20											
Non-handed hinge kit (weight capacity 70 Kg) for internally flush profiles	3200.740		5						1					
Non-handed hinge kit (weight capacity 70 Kg) for internally flush profiles with height rebate of 10 mm	3200.742		5											
Hinge kit (weight capacity 70 Kg) for internally flush profiles with height rebate of 10 mm	3200.743R	3200.743L	5											
Non-handed hinge kit (weight capacity 70 Kg) for internally flush profiles with 4 mm teeth	3200.745		5											
6 closing point kit (H > 1400 mm)	3200.820R	3200.820L	5			1		1		1		1		1
8 closing point kit (L > 1400 mm)	3200.825R	3200.825L	5											1

Klik op een artikelnummer om het artikel op kozijnparts.nl te bekijken. Blauw onderstreept = klikbaar.

Basic kits (for 4 closing points)



Article	Description	Pcs.	Finishes
3201.752R	RIBANTA 5 (patented) **Right long arm, tilt-first function**, in white galvanized zamak, black nylon, stainless steel 201 and 304, premounted screw in stainless steel 304 and 430, premounted pre-oxidized aluminum rod and telescopic pinion in white galvanized zamak.	5	
3201.752L	Like 3201.752R but **LH**.	5	
3201.772R	Like 3201.752R but **20 pcs. each box**.	20	
3201.772L	Like 3201.772R but **LH**.	20	



Article	Description	Pcs.	Finishes
3200.800R	RIBANTA 5 (patented) **Right additional arm, turn-first function**, in stainless steel 304, white galvanized zamak and black nylon, premounted screw in stainless steel 304 and 430.	5	
3200.800L	Like 3200.800R but **LH**.	5	



Article	Description	Pcs.	Finishes
3201.800R	RIBANTA 5 (patented) **Right supplementary arm, tilt-first function**, in stainless steel 304, white galvanized zamak and black nylon, premounted screw in stainless steel 304 and 430.	5	
3201.800L	Like 3201.800R but **LH**.	5	



Article	Description	Pcs.	Finishes
3200.709	RIBANTA 5 (patented) **Non-handed hinge kit (weight capacity 110 Kg)** in aluminum, premounted upper pin and counterplate in stainless steel 43, premounted nylon bushing and adjustment grub screw, 2 socket flat head screws M5x12 in stainless steel mounted on lower window leaf, 1 socket flat head screw M5x8 in stainless steel 304, nylon pin covers.	5	1013, 1015, 1035, 1247, 3001, 6005, 7016, 7032, 7035, 8017, 8019, 8077, 9001, 9005, 9010, 9016, B.MA, B.SA, BL10, BR5, BR801, BW21, C, GR217, GR51, GR606, GREY, HL, PVD H, PVD X, SILV, WT005
3200.729	Like 3200.709 but **20 pcs. each box** and finishes 1013, 1015, 7016, 7047, 8017, 9005, 9010, 9016, B.SA, BL25, BW21, C, HL, SILV.	20	



Article	Description	Pcs.	Finishes
3200.708R	RIBANTA5 (patented) **Right reinforcement kit for hinge 3000.709 (upper part), weight capacity 140 Kg**, in zamak, pin in stainless steel 430, 1 self-forming countersunk head screw M5x18 in stainless steel 304.	5	1013, 1015, 1247, 3001, 6005, 7035, 8017, 8019, 8077, 9001, 9005, 9010, 9016, B.SA, BL10, BR5, BR801, BW21, C, GR217, GR606, GREY, PVD H, PVD X, SILV, WT005
3200.708L	Like 3200.708R but **LH** and also finishing B.MA.	5	

Nederlandse vertaling

Savio Ribanta 5 - Nederlandse vertaling

Bron: Savio Ribanta 5 productcatalogus DP_RIB5 (Engels), blz. 7 (06), 18 (17) en 19 (18). Vertaling Kozijn Parts.

Dit artikel: 3200.800L (in de bladen hiervoor geel gemarkeerd)

Blz. 7 (06) - Technical features: tilt and turn gearing

Description / Codes / Pcs. / Leaf dimensions L / H (mm)	omschrijving / artikelnummers / stuks per doos / vleugelmaten breedte L en hoogte H (mm)
Short arm / Standard arm / Long arm	korte schaar / standaard schaar / lange schaar; de balken in de tabel geven de vleugelbreedte waarvoor ze gelden
3200.751R / 3200.751L (3200.771R / L)	standaard schaar: vleugelbreedte 510-794 mm (3200.771 = 20 stuks per doos)
3200.752R / 3200.752L (3200.772R / L)	lange schaar: vleugelbreedte 795-1700 mm (3200.772 = 20 stuks per doos)
Supplementary arm 3200.800R / 3200.800L	extra schaar (bijzetschaar), vanaf 1201 mm vleugelbreedte
Basic kit ... / Non-handed hinge kit / Lower support	basisset / scharnierset voor links en rechts / onderste steun
TILT / CLOSE / TURN	kiep / dicht / draai

Blz. 18 (17) - Codes: Basic kits (for 4 closing points)

3200.751R RIBANTA 5 (patented) Right standard arm, turn-first function	standaard schaar, rechts, draai-kiep (eerst draaien); van wit verzinkte zamak, zwart nylon en rvs 201 en 304, met voorgemonteerde schroef (rvs 304 en 430) en voorgemonteerde stang met millimeterverdeling van voorgeoxideerd aluminium
3200.752R RIBANTA 5 (patented) Right long arm, turn-first function	lange schaar, rechts, draai-kiep; zelfde materialen, met voorgemonteerde aluminium stang en telescopisch tandwiel van wit verzinkte zamak
Like 3200.751R but LH. / Like ... but 20 pcs. each box.	als het artikel erboven, maar links / maar 20 stuks per doos
3201.750 / 3201.751 ... tilt-first function	3201-nummers zijn voor kiep-voor-draai (eerst kiepen); 3200-nummers voor draai-kiep

Blz. 19 (18) - Codes

3200.800R RIBANTA 5 (patented) Right additional arm, turn-first function	extra schaar, rechts, draai-kiep; van rvs 304, wit verzinkte zamak en zwart nylon, met voorgemonteerde schroef (rvs 304 en 430)
Like 3200.800R but LH.	als 3200.800R, maar links
3201.800R Right supplementary arm, tilt-first function	extra schaar voor kiep-voor-draai
3200.709 Non-handed hinge kit (110 Kg) / 3200.708R Reinforcement kit for hinge 3000.709 (140 Kg)	scharnierset voor links en rechts tot 110 kg / versterkingsset voor het bovenscharnier, tot 140 kg