ALU 5200-DK BD 5 (FBS-EUL) *Hardware overview*



Torque and tooling information

Items	Nm (± 0.25)	
2, 5, 10, 11, 12, 13	2.5	2.5
14, 23, 25, 27, 33, 38	1.5	2.5
29	2.5	4
16	4	4
18, 30, 32	2.7	PZ2
1g, 1h	2.5	PH2

ALU 5200-DK BD 5 (FBS-EUL) *Hardware list*

	Item	Quan-tity	Description			VE		VE
H1	**1a**		**Handle LM Si-line**					
	1b		**Handle LM Si-line lockable**	*Only use in combination with coupling set*		**See ALU handle overview, document no.: H48.ZubhLS007en in ALU planning manual**		
H2	**1c**		**Handle LM Globe**					
	1d	**1**	**Handle LM Globe lockable**					
H3	**1e**		**Handle TITAN**			**(□ 7 mm x 25, cam dia. 10 mm)**		
	1f		**Handle TITAN lockable**	*Only use in combination with gear set*				
H4	**1g**		**Handle LM round rose**			**See Handle Globe RR, document no.: H48.ZubhLS006en in ALU planning manual**		
	1h		**Handle LM round rose lockable**					
		1	**Hinge side LM 5200 BD 5**	**Silver**		MMBS0230-525010	1	MMBS0230-525020	10
				White *RAL 9016*		MMBS0230-504010	1	MMBS0230-504020	10
				Black *RAL 9005*		MMBS0230-523010	1	MMBS0230-523020	10
				EV1		MMBS0230-524010	1	MMBS0230-524020	10
				Mill finish		-	-	MMBS0230-500120	5
	2	1	Bottom hinge						
	3	1	Adjusting piece						
	4	1	Cover cap						
	5	2	M5 x 8.5 countersunk screw						
	6	1	Corner hinge						
	7	1	Bottom hinge pin						
	8	1	Clamping piece E						
	9	1	Top hinge pin						
	10	1	Top hinge						
	11	1	Stay hinge bearing						
	12	1	M5 x 7.5 countersunk screw						
	13	**1**	**Stay LM**	*Size* 20	*FB (mm)* 365 to 600	*Weight* < 100 kg	884805	1	273 098	20
				35	601 to 1600		884782	1	314 203	20
According to FB/kg		**0...1**	**Additional stay LM**	*From FB 1251 with stay size 35* <100 kg *From FB 1020 with stay size 35*>100 kg to 130 kg			857076	1	247006	10
	14	1	Additional stay							
	15	1	Striker plate							
	16	1	Locking cam							
	17	1	Eccentric rivet							
According to kg		**0...1**	**Accessories set LM for 130 kg**	*> 100 kg to 130 kg*			-	-	247037	20
	18	1	M5 x 13 countersunk screw							
	19	1	Support bracket							
		1	**Locking side LM DK (with FBS on corner drive) KPS**				MMVS0310-100010	1	MMVS0310-100030	20
	20	1	Locking bolt DK							
	21	1	Clamping piece EUL							
	22	1	VSO corner drive							
	23	1	Striker EUL							
	24	1	Tilt lock cam 10							
	25	1	Striker E cam 10							
	26	1	Run-up block							
	27	1	Tilt locking part							
H1 H2		**0...1**	**Coupling set LM (without FBS on gear)**	*Only use in combination with H1/H2*			MMKL0060-100010	1	MMKL0060-100030	20
	28	1	ALU coupling bracket							
	29	2	M5 x 12 cheese head screw							
H3 H4		**0...1**	**Gear set LM (without FBS on gear)**	*Only use in combination with H3/H4 (see drawing no. H48.ZubhLS005en)*			MMGI0090-100010	1	MMGI0090-100030	20
	30	2	M6 coupling screw							
	31	1	M6 ESG							
	32	2	M5 x 35 countersunk screw							
According to FB/FH		**0...2**	**MV LM-DK/TBT**	*(FB/FH > 1251 mm)*			857045	1	246979	20
	33	2	Striker							
	34	1	Slider							
	35	1	VSU/BSO corner drive							
Accessories	**36**	**0...1**	**Handle support LM**	*Only use in combination with H1/H2*			-	-	(see table on page 4)	200
	37	**0...1**	**Adjusting piece AV**	*For compression + 0.5 mm*			MXBS0100-100010	1	MXBS0100-100030	20
	38	**0...1**	**Sash lift LM**	*(see drawing no. H48.ZubhLS014en)*			MMFH0010-100010	1	MMFH0010-100030	20

Klik op een artikelnummer om het artikel op kozijnparts.nl te bekijken. Blauw onderstreept = klikbaar.

Nederlandse vertaling

Siegenia ALU 5200 BD 5 - Nederlandse vertaling

Bron: Siegenia ALU planning manual, ALU 5200-DK BD 5 (FBS-EUL) Hardware overview en Hardware list (H48.5200LS014en), Engels, pagina 2 en 3. Vertaling Kozijn Parts.

Dit artikel: MMBS0230-525010 (in de bladen hiervoor geel gemarkeerd)

Pagina 2 - Hardware overview

Hardware overview ALU 5200-DK BD 5 (FBS-EUL)	beslagoverzicht ALU 5200 draai-kiep, scharnierdoorgang BD 5 (positienummers zie de lijst)
Torque and tooling information	aanhaalmomenten en gereedschap

Pagina 3 - Hardware list

Item / Quantity / Description / VE	positie / aantal / omschrijving / verpakkingseenheid
Hinge side LM 5200 BD 5 - Silver / White RAL 9016 / Black RAL 9005 / EV1 / Mill finish	scharnierzijde LM 5200 BD 5 - zilver / wit RAL 9016 / zwart RAL 9005 / EV1 / onbehandeld; -...010 = per stuk, -...020 = verpakking van 10
2 Bottom hinge / 3 Adjusting piece / 4 Cover cap / 5 2x M5 x 8.5 countersunk screw / 6 Corner hinge / 7 Bottom hinge pin / 8 Clamping piece E / 9 Top hinge pin / 10 Top hinge / 11 Stay hinge bearing / 12 M5 x 7.5 countersunk screw	2 hoeklager / 3 stelstuk / 4 afdekkap / 5 2 verzonken schroeven M5x8,5 / 6 hoekscharnier / 7 hoeklagerstift / 8 klemstuk / 9 hoekpen / 10 bovenscharnier / 11 hoekscharnierlager / 12 verzonken schroef M5x7,5
13 Stay LM size 20 (FB 365 to 600, < 100 kg) 884805 / size 35 (601 to 1600) 884782	13 schaar maat 20 (vleugelbreedte 365-600 mm, tot 100 kg) / maat 35 (601-1600 mm) - niet in de scharnierzijde
Accessories set LM for 130 kg (> 100 kg to 130 kg) 247037	toebehorenset voor 100-130 kg (apart)

Vertaling door Kozijn Parts van de originele fabrikantpagina's hiervoor. Bij verschil geldt de originele tekst van de fabrikant.

Klik op een artikelnummer om het artikel op kozijnparts.nl te bekijken. Blauw onderstreept = klikbaar.